



Gravity Fuel Unloading Flow Meter For Gasoline And Diesel Measurement

Our Product Introduction

For more products please visit us on refueling-equipment.com

Basic Information

- Place of Origin: China
- Brand Name: Virette
- Model Number: T-80
- Minimum Order Quantity: 10 pcs
- Price: 1680USD
- Delivery Time: 20 days



Product Specification

- Color: Silver
- Accuracy: $\pm 0.2\%$
- Protection Rating: IP65
- Rate: $8-80\text{M}^3 / \text{H}$ ($130-1300\text{L} / \text{Min}$)
- Ambient Temperature: $-30 \sim 60$
- Certifications: ATEX, IECEx, FM
- Size: DN80
- Medium: GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS
- Highlight: Gravity Fuel Unloading Flow Meter, Gasoline Unloading Flow Meter, Diesel Flow Meter



Product Description

ATEX IP65 Fuel Gravity Fuel Unloading Flow Meter for Gasoline and Diesel Measurement

Product Description:

Designed for use in hazardous environments, this meter is certified to meet strict safety standards. It is approved for use in ATEX, IECEx, and FM certified environments, ensuring that it meets the highest safety standards in the industry.

The meter's protection rating of IP65 ensures that it is protected from dust and water, making it suitable for use in harsh environments.

This makes it an ideal choice for use in fuel unloading and other applications where exposure to the elements is common.

The Fuel Unloading Flow Meter comes in a sleek and professional silver color, making it an attractive addition to any industrial setting. Its compact and lightweight design makes it easy to install and use, while its durable construction ensures that it can withstand years of heavy use.

In addition to its use as a fuel unloading flow meter, this instrument can also be used as a gravity fuel unloading flow meter or a fuel discharge flow meter. Its versatility and accuracy make it an essential tool for any industrial operation where precise flow measurement is required.

Features:

Product Name: Fuel Discharge Flow Meter

Protection Rating: IP65

Medium: GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS

Lcd Screen: ENGLISH INTERFACE, 7 DIGITS DISPLAY

Repeatability: $\pm 0.02\%$

Accuracy: $\pm 0.2\%$

``` ```.html

Product Name: Fuel Unloading Flow Meter

Protection Rating: IP65

Medium: GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS

Lcd Screen: ENGLISH INTERFACE, 7 DIGITS DISPLAY

Repeatability:  $\pm 0.02\%$

Accuracy:  $\pm 0.2\%$

``` ```.html

Product Name: Fuel Unloading Flow Meter

Protection Rating: IP65

Medium: GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS

Lcd Screen: ENGLISH INTERFACE, 7 DIGITS DISPLAY

Repeatability: $\pm 0.02\%$

Accuracy: $\pm 0.2\%$

Technical Parameters:

Lcd Screen	ENGLISH INTERFACE, 7 DIGITS DISPLAY
Repeatability	$\pm 0.02\%$
Accuracy	$\pm 0.2\%$
Protection Rating	IP65
Rate	8-80M ³ / H (130-1300L / Min)
Size	DN80
Certifications	ATEX, IECEx, FM
Ambient Temperature	-30 ~60
Color	Silver
Medium	GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS

Applications:

With a minimum order quantity of 10 pcs and a price of 1680USD, the Virette T-80 Flow Meter is a cost-effective solution for your flow measurement needs. The delivery time for this product is only 20 days, making it a quick and efficient purchase for your business.

The Virette T-80 Flow Meter features an LCD screen with an English interface and 7 digits display. This feature ensures that readings are easily accessible and understandable. The silver color and DN80 size make it a sleek and stylish addition to your equipment.

With an accuracy rate of $\pm 0.2\%$, the Virette T-80 Flow Meter guarantees precision in flow measurement. This accuracy is particularly important in fuel discharge flow meters, where even the slightest deviation can result in significant losses.

The Virette T-80 Flow Meter is suitable for measuring various oil products, including gasoline, diesel, kerosene, ethanol gasoline, and

other oil products. This makes it a versatile option for businesses dealing with different types of fuel. This gravity fuel unloading flow meter is designed to accurately measure the volume of fuel dispensed during gravity fuel unloading. This makes it an ideal solution for businesses involved in fuel distribution and transportation. Overall, the Virette T-80 Flow Meter is a reliable and cost-effective solution for your flow measurement needs. Whether you are involved in fuel distribution, transportation, or other industrial applications, this flow meter is sure to provide accurate readings every time.

Packing and Shipping:

- Product Packaging:
- 1 Flow Meter
- Instruction Manual
- Mounting Screws
- Shipping:
- Shipping Method: Standard
- Delivery Time: 5-7 business days
- Shipping Cost: Free
- Tracking Number: Provided



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China